

## **PowerSpin™ PX Centrifuge**

Model: C827



- POWERSPIN™ PORTA-SPIN™ CENTRIFUGE
- VARIABLE SPEED 500-3800 RPM
- 6 PLACE FIXED ANGLE ROTOR
- 30 MIN. MECHANICAL TIMER
- 6X10ML CAPACITY
- POWER INPUT 15VDC





The C827 PXV 12V Variable Speed Centrifuge is a versatile and high-performance solution for mobile and field applications. Designed for 12V DC operation, it includes a vehicle power adapter (car adapter) for convenient use in remote locations, on-site testing, or mobile laboratories. This centrifuge offers variable speed control, allowing you to adjust the speed according to your specific sample processing needs. It features a 6-place rotor, accommodating up to six tubes for efficient sample separation. The dual lid lock ensures enhanced safety by securely locking the lid in place during operation, while the built-in leveling system provides stability even on uneven surfaces, ensuring consistent performance. With the C827 PXV, you can count on reliable and efficient centrifugation wherever you go, combining convenience and performance for a wide range of applications.







## **ADDITIONAL INFORMATION**

TOP SELECTION		No
ACCESSORIES	Accessories (Sold Separately)	
	C800-00	8 Place Rotor
	C800-01	8 Place Rotor
	C800-75	Tachometer, Laser Digital with Reflective Tape, Batteries, In A Storage Case
	C800-02	Regular tube shield, pack of 2
	C800-03	Adapter for short tubes, pack of 10
	C800-04	Pediatric or microtube adapter, pack of 2
	C800-05	Tube Lift Adapters, Pk/12
	C800-12	Balance Tube Holdster
	C826-06	Porta-Spin 12 VDC Adapter, Plugs in to Car Charger, Replacement
	C826-12	Porta-Spin Ac Adapter, 110 Volt, USA Power Cord
SPECIFICATION	Number of Tubes	6
00	Tube Capacity	2-15 ml
	. ,	
	Blood	Yes
	Blood Specimens Fecal	
		Yes
	Specimens Fecal	Yes Not recommended
	Specimens Fecal Urine	Yes  Not recommended  Not recommended
	Specimens Fecal Urine Microhematocrit	Yes Not recommended Not recommended Not recommended
	Specimens Fecal Urine Microhematocrit Speed	Yes Not recommended Not recommended Not recommended Variable
	Specimens Fecal Urine Microhematocrit Speed Rotor	Yes  Not recommended  Not recommended  Not recommended  Variable  Fixed Angle
SIZE AND WEIGHT	Specimens Fecal Urine Microhematocrit Speed Rotor Maximum RPM Maximum RCF(g)	Yes Not recommended Not recommended Variable Fixed Angle 3800 1320
SIZE AND WEIGHT	Specimens Fecal Urine Microhematocrit Speed Rotor Maximum RPM	Yes Not recommended Not recommended Not recommended Variable Fixed Angle 3800





	Weight Shipping Weight	18 lbs 19 lbs
WARRANTY		1 years



4 |