


PowerSpin™ BX Centrifuge


Model: C883



- POWERSPIN™ BX CENTRIFUGE
- VARIABLE SPEED 1000-11000 RPM
- 24 PLACE MICROTUBE ROTOR
- 99 MIN DIGITAL TIMER
- CAPACITY 24 MICROTUBES
- POWER INPUT 110 V



The BX Microcentrifuge is a high-performance microcentrifuge designed for rapid separation of biological samples. It has a 24-place rotor that can accommodate 24 tubes with a capacity of 1.5-2 mL each. The maximum speed is 11,000 RPM, and it is compatible with 110V power. The built in oversized LCD Display provides real time data to the user. With the push of a button you can speed up or slow down the rotor within 1,000 - 11,000 RPM range (Max 5000 RPM with the Blood Tube Rotor). Maintenance free brushless DC motor is powerful and super quiet. The cover of the Microhematocrit rotor incorporates a reader, allowing for instant reading and eliminating the need for additional specimen handling.



ADDITIONAL INFORMATION

| | | |
|-----------------|--|---|
| TOP SELECTION | No | |
| ACCESSORIES | Accessories (Sold Separately) C880-08 Fixed Angle Rotor, 8 place C880-02 Microhematocrit Rotor, 24 place C880-03 Microtube rotor, 24 place C880-10 BX Rotor Rack C881-03 Short tube adapter, for 13x75mm tubes C881-04 Micro / Pediatric tube adapter for 0.5-2.0ml tubes | |
| SPECIFICATION | Rotor | Fixed Angle, 24 place Micro Centrifuge Tubes |
| | Speed Range | 1,000 - 11,000 RPM |
| | Maximum RCF(g) | 11093g |
| | Timer Range | 0-99 minutes LCD |
| | Max. Rotor Capacity | 24 x 1.5ml or 2ml |
| | Maximum Test Tube Size | 1.5 x 75 mm |
| | Dimension | 270mm x 320mm x 220mm |
| SIZE AND WEIGHT | Size | 10.5 in x 12.5 in x 9 in (270 mm x 320 mm x 220 mm) |
| | Shipping Size | 14 in x 15 in x 12 in (350 mm x 375 mm x 300 mm) |
| | Weight | 15.5 lbs (C881 & C882); 16.5 lbs (C883) |
| | Shipping Weight | 19 lbs (C881 and C882) ; 20 lbs (C883) |
| WARRANTY | 1 years | |

